

SPECIFICATION SHEET



1. Product Identification

Field	Details
Product Name	Titan AV 6003 Waterproof Hard Case
SKU	FXC-6003
GTIN	9359899004868
Warranty	2 Years
Country of Origin	Manufactured in China, QC tested in Australia

2. Dimensions & Weight

Specification	Measurement
External Dimensions (L × W × H)	715 × 460 × 285 mm
Internal Dimensions (L × W × H)	645 × 395 × 240 mm
Lid / Base Depth	40 mm / 200 mm

Internal Volume	61.1 L
Weight (Empty)	8 kg
Padlock Hole Diameter	7 mm

3. Construction & Materials

Component	Specification
Shell Material	High-impact Polypropylene (FX-2PP)
Foam Insert	1 × 100 mm pick-n-pluck + 1 × 95 mm pick-n-pluck + 1 × 10 mm solid base
Seal	EPDM O-ring watertight closure
Latches	Dual TUFF compression latches
Pressure Valve	Automatic pressure equalisation valve
Handle	Rubberised ergonomic carry handle
Hinges	Heavy-duty pinned hinges
Stackable	Yes

4. Environmental Performance

Parameter	Details
Ingress Protection	IP67 – dust-tight and waterproof up to 1 m for 30 min
Temperature Range	-30 °C to +80 °C
Vibration Resistance	Meets MIL-STD-810H Method 514.8
Drop Resistance	Meets MIL-STD-810H Method 516.8
Chemical Resistance	Resistant to oils, solvents, and mild acids (typical of polypropylene materials)

5. Functional Features

- Waterproof, dustproof & impact-resistant
- Auto pressure relief valve for air travel
- Lockable with 7 mm padlocks
- Customisable pick-n-pluck foam interior
- Stackable interlocking design
- Ideal for AV gear, tools, comms equipment, drones, photography gear, electronics, satellite communication equipment, GPS, computers, defence and military equipment.

6. Compliance & Labelling

Category	Statement
IP Rating	Certified to IEC 60529 (IP67) standard – verified by independent testing
MIL-STD Testing	Tested to MIL-STD-810H (Methods 503.7, 514.8, 516.8)
Australian Quality Assurance	Each batch QC tested and inspected in Titan AV's Brisbane facility
Environmental Responsibility	Manufactured using materials consistent with international environmental standards – supplier declarations held on file where available

Version 1.0, Dated: 13/10/2025