

## SPECIFICATION SHEET



### 1. Product Identification

Field	Details
Product Name	<b>Titan AV 6007 Waterproof Hard Case</b>
SKU	<b>FXC-6007</b>
GTIN	9359899008361
Warranty	2 Years
Country of Origin	Manufactured in China, QC tested in Australia

## 2. Dimensions & Weight

Specification	Measurement
External Dimensions (L × W × H)	720 × 585 × 350 mm
Internal Dimensions (L × W × H)	645 × 518 × 319 mm
Lid / Base Depth	45 mm / 274 mm
Internal Volume	106 L
Weight (Empty)	13.3 kg
Padlock Hole Diameter	7 mm

## 3. Construction & Materials

Component	Specification
Shell Material	High-impact Polypropylene (FX-2PP)
Foam Insert	1 × 620 x 500 x 260 mm adjustable foam divider
Seal	EPDM O-ring watertight closure
Latches	Dual TUFF compression latches
Pressure Valve	Automatic pressure equalisation valve
Handle	Rubberised ergonomic carry handle
Hinges	Heavy-duty pinned hinges
Stackable	Yes

## 4. Environmental Performance

Parameter	Details
Ingress Protection	IP67 – dust-tight and waterproof up to 1 m for 30 min
Temperature Range	-30 °C to +80 °C

Vibration Resistance	Meets MIL-STD-810H Method 514.8
Drop Resistance	Meets MIL-STD-810H Method 516.8
Chemical Resistance	Resistant to oils, solvents, and mild acids (typical of polypropylene materials)

## 5. Functional Features

- Waterproof, dustproof & impact-resistant
- Auto pressure relief valve for air travel
- Adjustable foam divider
- Stackable interlocking design
- Ideal for AV gear, tools, comms equipment, drones, photography gear, electronics, satellite communication equipment, GPS, computers, defence and military equipment.

## 6. Compliance & Labelling

Category	Statement
IP Rating	Certified to IEC 60529 (IP67) standard – verified by independent testing
MIL-STD Testing	Tested to MIL-STD-810H (Methods 503.7, 514.8, 516.8)
Australian Quality Assurance	Each batch QC tested and inspected in Titan AV's Brisbane facility
Environmental Responsibility	Manufactured using materials consistent with international environmental standards – supplier declarations held on file where available

Version 1.0, Dated: 13/10/2025